


**PubMed**

PubMed

Nucleotide

Protein

Genome

Structure

PopSet

Taxonomy

OM

BC

Search 

for

Go

Clear

Limits

Preview/Index

History

Clipboard

Details

About Entrez

Display

Abstract

Sort

Save

Text

Clip Add

Order

Text Version

Entrez PubMed

Overview

Help | FAQ

Tutorial

New/Noteworthy

E-Utilities

PubMed Services

Journal Browser

MeSH Browser

Single Citation Matcher

Batch Citation Matcher

Clinical Queries

LinkOut

Cubby

Related Resources

Order Documents

NLM Gateway

TOXNET

Consumer Health

Clinical Alerts

ClinicalTrials.gov

PubMed Central

Privacy Policy

☐ 1: Curr Opin Genet Dev 1998 Jun;8(3):351-9

Related Articles, Books, LinkOut

**Mammalian artificial chromosomes as tools for gene therapy.****Vos JM.**

Lineberger Comprehensive Cancer Center, University of North Carolina at Chapel Hill 27599-7295, USA. vos@med.unc.edu

Mammalian artificial chromosomes (MACs) represent powerful tools for human gene therapy and animal transgenesis. First-generation linear genomic human artificial chromosomes (HACs) and circular chimeric genomic/viral mouse artificial episomal chromosomes (MAECs) have been developed. HACs have been shuttled from human into mouse embryonal stem cells and human trans-chromosomic mice have been generated. The potential of new genetic cis-elements and epigenetic phenomena for de novo segregation and replication activities on MACs are points for discussion.

Once the size and delivery constraints of HACs are circumvented, therapeutic applications will be numerous, particularly for recessive syndromes involving large genes and multigenic diseases.

Publication Types:

- Review
- Review, Tutorial

PMID: 9691004 [PubMed - indexed for MEDLINE]

Display

Abstract

Sort

Save

Text

Clip Add

Order


Write to the Help Desk

NCBI | NLM | NIH

Department of Health &amp; Human Services

Freedom of Information Act | Disclaimer

i686-pc-linux-gnu Jul 16 2002 16:34:53



PubMed

Nucleotide

Protein

Genome

Structure

PopSet

Taxonomy

OMIM

Bc

Search PubMed



for

Go

Clear

Limits

Preview/Index

History

Clipboard

Details

About Entrez

Display

Abstract

Sort

Save

Text

Clip Add

Order

Text Version

Entrez PubMed

Overview

Help | FAQ

Tutorial

New/Noteworthy

E-Utilities

PubMed Services

Journal Browser

MeSH Browser

Single Citation Matcher

Batch Citation Matcher

Clinical Queries

LinkOut

Cubby

Related Resources

Order Documents

NLM Gateway

TOXNET

Consumer Health

Clinical Alerts

ClinicalTrials.gov

PubMed Central

Privacy Policy

☐ 1: Gene Ther 1994 Jan;1(1):7-12

Related Articles, Books, LinkOut

## Mammalian artificial chromosomes: a new tool for gene therapy.

Huxley C.

Department of Biochemistry and Molecular Genetics, St Mary's Hospital Medical School, London, UK.

Effective therapy by in vivo delivery of DNA requires efficient delivery, long-term maintenance of the DNA that is delivered and physiological levels of expression of the therapeutic gene. Full levels of physiologically controlled expression can be obtained after transfer of intact genes on fragments of DNA hundreds of kilobases in size, as has been demonstrated by the transfer of yeast artificial chromosomes into transgenic mice. Long-term maintenance of input DNA could be achieved if the DNA carried replication origins, a centromere and telomeres to allow maintenance and segregation in mammalian cells, and there has been recent progress towards cloning these elements. These features could be combined as a mammalian artificial chromosome which would confer full levels of controlled expression as well as being maintained in any cell into which it was introduced. Methods which would allow delivery of such large fragments of DNA include liposomes and receptor-mediated uptake, both of which have been shown to work in vivo, making such large constructs potentially applicable for use in gene therapy.

Publication Types:

- Review
- Review, Tutorial

PMID: 7584063 [PubMed - indexed for MEDLINE]

Display

Abstract

Sort

Save

Text

Clip Add

Order

Write to the Help Desk  
NCBI | NLM | NIH

**Set Name Query**  
side by side

*DB=USPT,PGPB,JPAB,EPAB,DWPI,TDBD; THES=ASSIGNEE;  
PLUR=YES; OP=AND*

**Hit Count Set Name**  
result set

<u>L10</u>	Sirotnak-francis-M\$.in.	28	<u>L10</u>
<u>L9</u>	Roy-Krishnendu.in.	5	<u>L9</u>
<u>L8</u>	Kim-Jong-sang.in.	0	<u>L8</u>
<u>L7</u>	Shane-barry.in.	2	<u>L7</u>
<u>L6</u>	(Folypolyglutamyl adj synthetase) same (neoplastic or cancer or tumor or tumour)	1	<u>L6</u>
<u>L5</u>	(Folypolyglutamyl adj synthetase) same (vector or delivery)	1	<u>L5</u>
<u>L4</u>	((FDGS) or (Folypolyglutamyl adj synthetase)) same (vector or (gene adj transfer))	19	<u>L4</u>
<u>L3</u>	L2 and (FDGS or antifolate)	0	<u>L3</u>
<u>L2</u>	Breakefield-xandra-O\$.in.	21	<u>L2</u>
<u>L1</u>	Aghi-Manish.in.	0	<u>L1</u>

END OF SEARCH HISTORY